



MFE-750, 750CFM Mobile Fume Extractor

Designed for removal of dusts and fumes
during manufacturing processes.

888-372-0050

Sales@IAP-AirProducts.com

www.IAP-AirProducts.com



MFE-750 Mobile Fume Extractor

IAP Air Products · 888-372-0050 · Sales@IAP-AirProducts.com



Applications:

- Welding Fume Collection
- Grinding Dust Collection
- Dry Dust Collection
- Fume Collection

Features:

- 3-Stage Filtration
- Dust Drawer
- Filter Gauge
- Casters with brakes
- Cable Holder
- Heavy gauge powder coated steel
- Customer to select fume arm size
- Inlet Plate 6" or 8" diameter arm

Fume Arm Size:




- FA-0607-S (6" x 7')
- FA-0610-S (6" x 10')

Technical Data:


Nominal Airflow	750 cfm (Based on clean filters)
Motor	TEFC 1.5 HP
Power Supply	120V / 1
Compressed Air	90 psi
Dimension	50" x 31" x 53"
Filtration Efficiency	MERV 15
1st Filtration	Aluminum Mesh
2nd Filtration	Cartridge Filter
3rd Filtration	Activated-Carbon Filter
Noise@3ft. / 6.5ft. / 10ft.	73.5dB / 72dB / 70.5dB

Accessories:

- Carbon (MFE-750/1350/2250-CC)
- HEPA (MFE-750-HE)



Dealer Information / Contact:



888-372-0050
 Sales@IAP-AirProducts.com
 IAP Air Products
 580 Technology Drive
 Sparta, TN 38583

SINGLE SOURCE FOR
 Fume / Welding / Dust Arms
 Ambient Air Cleaners, Mobile Welding Units
 Dust Collectors, Vehicle Exhaust, etc.
 at www.IAP-AirProducts.com

IAP Air Products · 888-372-0050 · Sales@IAP-AirProducts.com

MFE-750 Mobile Fume Extractor



MFE-750-SC, 750CFM Mobile Fume Extractor

Designed for removal of dusts and fumes
during manufacturing processes.

888-372-0050

Sales@IAP-AirProducts.com

www.IAP-AirProducts.com

MFE-750-SC Mobile Fume Extractor

IAP Air Products • 888-372-0050 • Sales@IAP-AirProducts.com





Applications:

- Welding Fume Collection
- Grinding Dust Collection
- Dry Dust Collection
- Fume Collection

Features:

- 3-Stage Filtration
- Manual air pulse jet cartridge cleaning system
- Dust Drawer
- Filter Gauge
- Casters with brakes
- Cable Holder
- Heavy gauge powder coated steel
- Customer to select fume arm size
- Inlet Plate 6" or 8" diameter arm
- Unit come with a plug

Technical Data:




Nominal Airflow	750 cfm (Based on clean filters)
Motor	TEFC 1.5 HP
Power Supply	120V / 1
Compressed Air	90 psi
Dimension	50" x 31" x 65"
Filtration Efficiency	MERV 15
1st Filtration	Aluminum Mesh
2nd Filtration	Cartridge Filter
3rd Filtration	Activated-Carbon Filter
Noise@3ft. / 6.5ft. / 10ft.	74dB / 72.5dB / 71dB

Fume Arm Size:


- FA-0607-S (6" x 7')
- FA-0610-S (6" x 10')

Accessories:

- Carbon (MFE-750/1350/2250-CC)
- HEPA (MFE-750-HE)



Dealer Information / Contact:



888-372-0050
 Sales@IAP-AirProducts.com
 IAP Air Products
 580 Technology Drive
 Sparta, TN 38583

SINGLE SOURCE FOR
 Fume / Welding / Dust Arms
 Ambient Air Cleaners, Mobile Welding Units
 Dust Collectors, Vehicle Exhaust, etc.
 at www.IAP-AirProducts.com

IAP Air Products · 888-372-0050 · Sales@IAP-AirProducts.com

MFE-750-SC Mobile Fume Extractor



MFE-1350-SC, 1350CFM Mobile Fume Extractor

Designed for removal of dusts and fumes
during manufacturing processes.

888-372-0050

Sales@IAP-AirProducts.com

www.IAP-AirProducts.com

MFE-1350-SC Mobile Fume Extractor

IAP Air Products • 888-372-0050 • Sales@IAP-AirProducts.com





Applications:

- Welding Fume Collection
- Grinding Dust Collection
- Dry Dust Collection
- Fume Collection

Features:

- 3-Stage Filtration
- Manual air pulse jet cartridge cleaning system
- Dust Drawer
- Filter Gauge
- Casters with brakes
- Cable Holder
- Heavy gauge powder coated steel
- Customer to select fume arm size
- Inlet Plate 6" or 8" diameter arm
- Plug needs to be provided by the customer

Technical Data:




Nominal Airflow	1350 cfm (Based on clean filters)
Motor	TEFC 3 HP
Power Supply	460V / 3 , 208 or 230V / 3 (Optional)
Compressed Air	90 psi
Dimension	53" x 43" x 72"
Filtration Efficiency	MERV 15
1st Filtration	Aluminum Mesh
2nd Filtration	Cartridge Filter (2)
3rd Filtration	Activated-Carbon Filter
Noise@3ft. / 6.5ft. / 10ft.	76.7dB / 75.4dB / 74.2dB

Fume Arm Size:


- FA-0607-S (6" x 7')
- FA-0610-S (6" x 10')
- FA-0807-S (8" x 7')
- FA-0810-S (8" x 10')

Accessories:

- Carbon (MFE-750/1350/2250-CC)
- HEPA (MFE-1350/2250-HE)



Dealer Information / Contact:



888-372-0050
 Sales@IAP-AirProducts.com
 IAP Air Products
 580 Technology Drive
 Sparta, TN 38583

SINGLE SOURCE FOR
 Fume / Welding / Dust Arms
 Ambient Air Cleaners, Mobile Welding Units
 Dust Collectors, Vehicle Exhaust, etc.
 at www.IAP-AirProducts.com

IAP Air Products · 888-372-0050 · Sales@IAP-AirProducts.com

MFE-1350-SC Mobile Fume Extractor



ELEVENT Fume Extractor

Designed for removal of dusts and fumes
during manufacturing processes.

888-372-0050

Sales@IAP-AirProducts.com

www.IAP-AirProducts.com

ELEVENT Fume Extractor



IAP Air Products • 888-372-0050 • Sales@IAP-AirProducts.com



Applications:

- Welding Fume Collection
- Grinding Dust Collection
- Dry Dust Collection
- Fume Collection

Features:




- 2-Stage Filtration (optional 3rd Stage HEPA)
- Tool Tray
- LED Light
- J Hooks
- Cup Holders
- 4 Casters with 2 locking
- 4" x 8' Fume Arm with oversized hood
- Power cord with 20 amp plug, 12' of cord
- Heavy gauge powder coated steel

Accessories:


- HEPA Air Filter

Technical Data:

Nominal Airflow	600 cfm motor / 350 cfm at hood (4000 fpm)
Motor	1 HP / 110V-1P
Dimension (machine)	40.2" x 24.5" x 31.7"
1st Filtration	Aluminum Mesh
2nd Filtration	V-Bank Filter, 95%, MERV 15
3rd Filtration (optional)	HEPA, 99.97%
Noise@5ft.	67.5dB



Dealer Information / Contact:



888-372-0050
 Sales@IAP-AirProducts.com
 IAP Air Products
 580 Technology Drive
 Sparta, TN 38583

SINGLE SOURCE FOR
 Fume / Welding / Dust Arms
 Ambient Air Cleaners, Mobile Welding Units
 Dust Collectors, Vehicle Exhaust, etc.
 at www.IAP-AirProducts.com

IAP Air Products · 888-372-0050 · Sales@IAP-AirProducts.com

ELEVENT Fume Extractor